


**Certified by ISO9001 International Quality Control System** 

## JXJ300-07-04 Series Omni Directional LED Arrow Lamps

## **Features & Specifications**

- Conform to latest ITE specifications
- Retrofit design & UV stabilized lens
- MIL-STD-883 mechanical vibration
- MIL-STD-810F moisture resistant
- Compliant to FCC Title 47
- Fully compatible with NEMA controllers/conflict monitors





Model Number	Size (mm)	Color (nm)	Lens Color	Voltage Range	Power (Typical)	Operation Temperature	Power Factor	T.H.D	ITE Specs.
JXJ300-07R04	300	Red (626)	Clear	80v-135v	7	-40°F - +165°F	> 0.9	< 20%	Yes
JXJ300-07Y04	300	Yellow (592)	Clear	80v-135v	11	-40°F - +165°F	> 0.9	< 20%	Yes
JXJ300-07G04	300	Green (505)	Clear	80v-135v	6	-40°F - +165°F	> 0.9	< 20%	Yes

All characteristics, including visual characters, chromaticity, moisture and vibration resistance, electronic noise, transient protection, etc., are conformed to standards specified in ITE LED Vehicle Signal Modules.

For additional technical information or sales support regarding these and other LED products, please contact us at (972) 480-0888 or visit our website at www.trastarusa.com.

Telephone: (972) 480-0888 | Fax: (972) 480-8884